

# GENERAL

## CONTENTS

<b>HOW TO USE THIS MANUAL</b> .....	<b>2</b>	Model Code .....	4
Model Indications .....	2	Chassis Number .....	5
<b>VEHICLE IDENTIFICATION</b> .....	<b>3</b>	Engine Model Number .....	6
Models .....	3	<b>MAJOR SPECIFICATIONS</b> .....	<b>7</b>

## HOW TO USE THIS MANUAL

### MODEL INDICATIONS

The following abbreviations are used in this manual for classification of model types.

1600: Indicates models equipped with the 1,597 ml <4G92> petrol engine.

1800: Indicates models equipped with the 1,834 ml <4G93> petrol engine.

1900D: Indicates models equipped with the 1,870 ml <F8QT> diesel engine.

MPI: Indicates the multipoint injection, or engines equipped with the multipoint injection.

SOHC: Indicates an engine with the single overhead camshaft, or a model equipped with such an engine.

DOHC: Indicates an engine with the double overhead camshaft, or a model equipped with such an engine.

M/T: Indicates the manual transmission, or models equipped with the manual transmission.

A/T: Indicates the automatic transmission, or models equipped with the automatic transmission.

A/C: Indicates the air conditioner.

ECU: Indicates the electronic control unit.

## VEHICLE IDENTIFICATION

### MODELS

#### <HATCHBACK>

Model code		Engine model	Transmission model	Fuel supply system
DA1A	LNDEL6/R6	4G92-SOHC (1,597 mℓ)	F5MR1 (2WD-5M/T)	MPI
	LRDEL6/R6		F4A41 (2WD-4A/T)	
	LNJEL6/R6		F5MR1 (2WD-5M/T)	
	LRJEL6/R6		F4A41 (2WD-4A/T)	
DA2A	LNJEL6/R6	4G93-SOHC (1,834 mℓ)	F5MR2 (2WD-5M/T)	
	LRJEL6/R6		F4A42 (2WD-4A/T)	
	LNPEL6/R6		F5MR2 (2WD-5M/T)	
	LRPEL6/R6		F4A42 (2WD-4A/T)	
	LNGML6	4G93-DOHC (1,834 mℓ)	F5MR2 (2WD-5M/T)	
DA4A	LNDFL6/R6	F8QT (1,870 mℓ)	F5MR3 (2WD-5M/T)	Fuel injection pump
	LNJFL6/R6			
	LNPFL6/R6			

#### <SEDAN>


Model code		Engine model	Transmission model	Fuel supply system
DA1A	SNMEL6/R6	4G92-SOHC (1,597 mℓ)	F5MR1 (2WD-5M/T)	MPI
	SNMVL6B			
	SNDEL6/R6			
	SNDVL6B			
	SRDEL6/R6		F4A41 (2WD-4A/T)	
	SRDVL6B			
	SNJEL6/R6		F5MR1 (2WD-5M/T)	
	SNJVL6B			
	SRJEL6/R6		F4A41 (2WD-4A/T)	
	SRJVL6B			
DA2A	SNJEL6/R6	4G93-SOHC (1,834 mℓ)	F5MR2 (2WD-5M/T)	
	SRJEL6/R6		F4A42 (2WD-4A/T)	
	SNPEL6/R6		F5MR2 (2WD-5M/T)	
	SRPEL6/R6		F4A42 (2WD-4A/T)	
	SNGML6	4G93-DOHC (1,834 mℓ)	F5MR2 (2WD-5M/T)	
DA4A	SNDFL6/R6	F8QT (1,870 mℓ)	F5MR3 (2WD-5M/T)	Fuel injection pump
	SNJFL6/R6			
	SNPFL6/R6			

<b>D</b>	<b>A</b>	<b>1</b>	<b>A</b>	<b>L</b>	<b>N</b>	<b>J</b>	<b>E</b>	<b>L</b>	<b>6</b>
1	2	3	4	5	6	7	8	9	

00U0114


**MODEL CODE**

No.	Items	Contents
1	Development	DA: MITSUBISHI CARISMA
2	Engine type	1: 1,597 ml petrol engine
		2: 1,834 ml petrol engine
		4: 1,870 ml diesel engine
3	Sort	A: Passenger car
4	Body style	S: 4-door sedan
		L: 5-door hatchback
5	Transmission type	N: 5-speed manual transmission
		R: 4-speed automatic transmission
6	Trim level	M: EL
		D: GL
		J: GLX
		P: GLS
		G: MSX
7	Specified engine feature	E or V: MPI-SOHC
		M: MPI-DOHC
		F: Turbocharger with intercooler
8	Steering wheel location	L: Left hand
		R: Right hand
9	Destination	6: For Europe




## CHASSIS NUMBER

The chassis number is stamped on the toeboard inside the engine compartment.




No.	Items		Contents
1	Steering wheel location	XMC	Left hand drive
		XMD	Right hand drive
2	Body style	S	4-door sedan
		L	5-door hatchback
3	Transmission type	N	5-speed manual transmission
		R	4-speed automatic transmission
4	Vehicle line	DA	CARISMA
5	Development order	1	1,597 ml petrol engine
		2	1,834 ml petrol engine
		4	1,870 ml diesel engine
6	Sort	A	Passenger car
7	Model year	V	1997
8	Factory code	F	Netherlands Car B.V.
9	Serial number	-	-

&lt;4G92, 4G93&gt;



B02B016

&lt;F8QT&gt;


B02B021  
00005111**ENGINE MODEL NUMBER**

The engine model number is stamped at the cylinder block as shown in the following.

Engine model	Engine displacement
4G92	1,597
4G93	1,834
F8QT	1,870

## MAJOR SPECIFICATIONS

### HATCHBACK



00U0005

#### <DA1A>


Items			DA1A LNME6, LNMER6	DA1A LNDE6, LNDER6	DA1A LRDE6, LRDER6	DA1A LNJE6, LNJER6	DA1A LRJE6, LRJER6
Vehicle dimensions mm	Overall length	1	4,435	4,435	4,435	4,435	4,435
	Overall width	2	1,695	1,695	1,695	1,695	1,695
	Overall height (unladen)	3	1,405	1,405	1,405	1,405	1,405
	Wheelbase	4	2,550	2,550	2,550	2,550	2,550
	Track-front	5	1,455	1,455	1,455	1,455	1,455
	Track-rear	6	1,475	1,475	1,475	1,475	1,475
	Overhang-front	7	880	880	880	880	880
	Overhang-rear	8	1,005	1,005	1,005	1,005	1,005
	Ground clearance (unladen)	9	155	155	150	155	150
Vehicle weight kg	Kerb weight		1,105	1,105	1,135	1,110	1,140
	Max. gross vehicle weight rating		1,630	1,630	1,660	1,630	1,660
	Max. axle weight rating-front		900	900	900	900	900
	Max. axle weight rating-rear		865	865	865	865	865
Seating capacity			5				
Engine	Model No.		4G92				
	Total displacement ml		1,597				
Transmis- sion	Model No.		F5MR1		F4A41	F5MR1	F4A41
	Type		5-speed manual		4-speed automatic	5-speed manual	4-speed automatic
Fuel system	Fuel supply system		Electronic control multipoint fuel injection				

## &lt;DA2A, DA4A&gt;

Items			DA2A LNJEL6, LNJER6	DA2A LRJEL6, LRJER6	DA2A LNPEL6, LNPER6	DA2A LRPEL6, LRPER6	DA2A LNGML6	DA4A LNDFL6, LNDFR6	DA4A LNJFL6, LNJFR6	DA4A LNPFL6, LNPFR6
Vehicle dimen- sions mm	Overall length	1	4,435	4,435	4,435	4,435	4,435	4,445	4,445	4,445
	Overall width	2	1,695	1,695	1,695	1,695	1,695	1,695	1,695	1,695
	Overall height (unladen)	3	1,405	1,405	1,405	1,405	1,405	1,405	1,405	1,405
	Wheelbase	4	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550
	Track-front	5	1,455	1,455	1,455	1,455	1,455	1,455	1,455	1,455
	Track-rear	6	1,475	1,475	1,475	1,475	1,475	1,475	1,475	1,475
	Overhang-front	7	880	880	880	880	880	890	890	890
	Overhang-rear	8	1,005	1,005	1,005	1,005	1,005	1,005	1,005	1,005
	Ground clearance (unladen)	9	155	150	155	150	155	155	155	155
Vehicle weight kg	Kerb weight		1,130	1,160	1,135	1,165	1,175	1,155	1,165	1,170
	Max. gross vehicle weight rating		1,660	1,690	1,660	1,690	1,685	1,695	1,695	1,695
	Max. axle weight rating-front		900	900	900	900	900	900	900	900
	Max. axle weight rating-rear		875	875	875	875	880	870	870	870
Seating capacity			5							
Engine	Model No.		4G93					F8QT		
	Total displacement mℓ		1,834					1,870		
Trans- mission	Model No.		F5MR2	F4A42	F5MR2	F4A42	F5MR2	F5MR3		
	Type		5-speed manual	4-speed auto- matic	5-speed manual	4-speed auto- matic	5-speed manual	5-speed manual		
Fuel system	Fuel supply system		Electronic control multipoint fuel injection					Fuel injection pump		



# SEDAN



00U0115

## <DA1A>

Items			DA1A SNMEL6, SNMER6	DA1A SNMVL6B	DA1A SNDEL6, SNDER6	DA1A SNDVL6B	DA1A SRDEL6, SRDER6	DA1A SRDVL6B
Vehicle dimensions mm	Overall length	1	4,435	4,435	4,435	4,435	4,435	4,435
	Overall width	2	1,695	1,695	1,695	1,695	1,695	1,695
	Overall height (unladen)	3	1,405	1,420	1,405	1,420	1,405	1,420
	Wheelbase	4	2,550	2,550	2,550	2,550	2,550	2,550
	Track-front	5	1,455	1,455	1,455	1,455	1,455	1,455
	Trakt-rear	6	1,475	1,475	1,475	1,475	1,475	1,475
	Overhang-front	7	880	880	880	880	880	880
	Overhang-rear	8	1,005	1,005	1,005	1,005	1,005	1,005
	Ground clearance (unladen)	9	155	170	155	170	150	165
Vehicle weight   kg	Kerb weight		1,080	1,100	1,080	1,100	1,110	1,125
	Max. gross vehicle weight rating		1,610	1,610	1,610	1,610	1,640	1,640
	Max. axle weight rating-front		900	900	900	900	900	900
	Max. axle weight rating-rear		840	840	840	840	840	840
Seating capacity			5					
Engine	Model No.		4G92					
	Total displacement   ml		1,597					
Transmis- sion	Model No.		F5MR1				F4A41	
	Type		5-speed manual				4-speed automatic	
Fuel system	Fuel supply system		Electronic control multipoint fuel injection					

Items			DA1A SNJEL6, SNJER6	DA1A SNJVL6B	DA1A SRJEL6, SRJER6	DA1A SRJVL6B
Vehicle dimensions mm	Overall length	1	4,435	4,435	4,435	4,435
	Overall width	2	1,695	1,695	1,695	1,695
	Overall height (unladen)	3	1,405	1,420	1,405	1,420
	Wheelbase	4	2,550	2,550	2,550	2,550
	Track-front	5	1,455	1,455	1,455	1,455
	Track-rear	6	1,475	1,475	1,475	1,475
	Overhang-front	7	880	880	880	880
	Overhang-rear	8	1,005	1,005	1,005	1,005
	Ground clearance (unladen)	9	155	170	150	165
Vehicle weight   kg	Kerb weight		1,090	1,110	1,120	1,140
	Max. gross vehicle weight rating		1,610	1,610	1,640	1,640
	Max. axle weight rating-front		900	900	900	900
	Max. axle weight rating-rear		840	840	840	840
Seating capacity			5			
Engine	Model No.		4G92			
	Total displacement   mℓ		1,597			
Transmis- sion	Model No.		F5MR1		F4A41	
	Type		5-speed manual		4-speed automatic	
Fuel system	Fuel supply system		Electronic control multipoint fuel injection			

<DA2A, DA4A>

Items			DA2A SNJEL6, SNJER6	DA2A SRJEL6, SRJER6	DA2A SNPEL6, SNPER6	DA2A SRPEL6, SRPER6	DA2A SNGML6	DA4A SNDFL6, SNDFR6	DA4A SNJFL6, SNJFR6	DA4A SNPFL6, SNPFR6
Vehicle dimen- sions mm	Overall length	1	4,435	4,435	4,435	4,435	4,435	4,445	4,445	4,445
	Overall width	2	1,695	1,695	1,695	1,695	1,695	1,695	1,695	1,695
	Overall height (unladen)	3	1,405	1,405	1,405	1,405	1,405	1,405	1,405	1,405
	Wheelbase	4	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550
	Track-front	5	1,455	1,455	1,455	1,455	1,455	1,455	1,455	1,455
	Track-rear	6	1,475	1,475	1,475	1,475	1,475	1,475	1,475	1,475
	Overhang-front	7	880	880	880	880	880	890	890	890
	Overhang-rear	8	1,005	1,005	1,005	1,005	1,005	1,005	1,005	1,005
	Ground clearance (unladen)	9	155	150	155	150	155	155	155	155
Vehicle weight kg	Kerb weight		1,110	1,140	1,115	1,145	1,155	1,130	1,145	1,150
	Max. gross vehicle weight rating		1,640	1,670	1,640	1,670	1,665	1,675	1,675	1,675
	Max. axle weight rating-front		900	900	900	900	900	900	900	900
	Max. axle weight rating-rear		850	850	850	850	855	845	845	845
Seating capacity			5							
Engine	Model No.		4G93					F8QT		
	Total displacement m <sup>l</sup>		1,834					1,870		
Trans- mission	Model No.		F5MR2	F4A42	F5MR2	F4A42	F5MR2	F5MR3		
	Type		5-speed manual	4-speed auto- matic	5-speed manual	4-speed auto- matic	5-speed manual	5-speed manual		
Fuel system	Fuel supply system		Electronic control multipoint fuel injection					Fuel injection pump		

**NOTES**